

Certificate of Analysis

Report Date: 12/30/15 10:27
Received Date: 08/20/15 14:40

Client: Blue Can Water
8531 Lankershim Blvd.
Sun Valley, CA 91352

Turnaround Time: Normal

Attn: James Skylar

Phone: (818) 929-7159

Fax:

P.O.#:

Project: Bottled Water Annual Test


Dear James Skylar :

Enclosed are the results of analyses for samples received 8/20/2015 with the Chain of Custody document. The samples were received in good condition, at 24.0 °C. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Lab Sample ID: 5H24012-01 Sample ID: Blue Can Matrix: Water
Sampled by: Client Sampled: 08/20/15 00:00

Sample Note:

Table with columns: Analyte, Result, Qualifier, Units, RL, Dil, Method, Prepared, Analyzed, Analyst, Batch. Rows include various chemical elements like Calcium, Iron, Magnesium, Uranium, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Copper, Lead, Manganese, Nickel, Selenium, Silver, Thallium, Zinc, Chloride, Fluoride, Sulfate, and Surrogate compounds.



Certificate of Analysis


Lab Sample ID: 5H24012-01 Sample ID: Blue Can Matrix: Water

Sampled by: Client

Sampled: 08/20/15 00:00

Sample Note:

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
4,4'-DDD.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
4,4'-DDE.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
4,4'-DDT.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Aldrin.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
alpha-BHC.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Aroclor 1016.....	ND		ppb	0.10	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Aroclor 1221.....	ND		ppb	0.10	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Aroclor 1232.....	ND		ppb	0.10	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Aroclor 1242.....	ND		ppb	0.10	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Aroclor 1248.....	ND		ppb	0.10	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Aroclor 1254.....	ND		ppb	0.10	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Aroclor 1260.....	ND		ppb	0.10	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
beta-BHC.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Chlordane (tech).....	ND		ppb	0.10	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Chlorothalonil.....	ND		ppb	0.050	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
delta-BHC.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Dieldrin.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Endosulfan I.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Endosulfan II.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Endosulfan sulfate.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Endrin.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Endrin aldehyde.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
gamma-BHC (Lindane).....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Heptachlor.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Heptachlor epoxide.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Hexachlorobenzene.....	ND		ppb	0.050	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Hexachlorocyclopentadiene.....	ND		ppb	0.050	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Methoxychlor.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
PCBs, Total.....	ND		ppb	0.50	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Propachlor.....	ND		ppb	0.050	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Toxaphene.....	ND		ppb	1.0	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Trifluralin.....	ND		ppb	0.010	1	EPA 508	08/26/15 07:58	09/08/15 22:20	PAR	W5H1387
Surrogate: 2,4-DCAA	109 %		%	70-130		Concentration: 10	09/01/15 08:51	09/04/15 23:25		
2,4,5-T.....	ND		ppb	0.20	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
2,4,5-TP (Silvex).....	ND		ppb	0.20	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
2,4-D.....	ND		ppb	0.40	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
2,4-DB.....	ND		ppb	2.0	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
3,5-Dichlorobenzoic acid.....	ND		ppb	1.0	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
Acifluorfen.....	ND		ppb	0.40	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
Bentazon.....	ND		ppb	2.0	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
Dalapon.....	ND		ppb	0.40	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
DCPA.....	ND		ppb	0.10	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
Dicamba.....	ND		ppb	0.60	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
Dichloroprop.....	ND		ppb	0.30	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011



Certificate of Analysis


Lab Sample ID: 5H24012-01 Sample ID: Blue Can Matrix: Water

Sampled by: Client

Sampled: 08/20/15 00:00

Sample Note:

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Dinoseb.....	ND		ppb	0.40	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
Pentachlorophenol.....	ND		ppb	0.20	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
Picloram.....	ND		ppb	0.60	1	EPA 515.3	09/01/15 08:51	09/04/15 23:25	par	W510011
Surrogate: 1,2-Dichlorobenzene-d4	83 %		%	70-130		Concentration: 8.3	08/27/15 11:29	08/28/15 07:05		
Surrogate: 4-Bromofluorobenzene	82 %		%	70-130		Concentration: 8.1	08/27/15 11:29	08/28/15 07:05		
1,1,1,2-Tetrachloroethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,1,1-Trichloroethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,1,2,2-Tetrachloroethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,1,2-Trichloroethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,1-Dichloroethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,1-Dichloroethene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,1-Dichloropropene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,2,3-Trichlorobenzene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,2,3-Trichloropropane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,2,4-Trichlorobenzene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,2,4-Trimethylbenzene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,2-Dichloroethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,2-Dichloropropane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,3,5-Trimethylbenzene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,3-Dichloropropane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
1,3-Dichloropropene, Total.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
2,2-Dichloropropane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
2-Butanone.....	ND		ppb	5.0	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
2-Chloroethyl vinyl ether.....	ND		ppb	1.0	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
2-Chlorotoluene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
2-Hexanone.....	ND		ppb	5.0	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
4-Chlorotoluene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
4-Methyl-2-pentanone.....	ND		ppb	5.0	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Benzene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Bromobenzene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Bromochloromethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Bromodichloromethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Bromoform.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Bromomethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Carbon tetrachloride.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Chlorobenzene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Chloroethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Chloroform.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Chloromethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
cis-1,2-Dichloroethene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
cis-1,3-Dichloropropene.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Dibromochloromethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Dibromomethane.....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507
Dichlorodifluoromethane (Freon 12).....	ND		ppb	0.50	1	EPA 524.2	08/27/15 11:29	08/28/15 07:05	hmc	W5H1507



Certificate of Analysis


Lab Sample ID: 5H24012-01 Sample ID: Blue Can Matrix: Water

Sampled by: Client

Sampled: 08/20/15 00:00

Sample Note:

Table with columns: Analyte, Result, Qualifier, Units, RL, Dil, Method, Prepared, Analyzed, Analyst, Batch. Lists various chemical compounds and their detection results.



Certificate of Analysis

Lab Sample ID: 5H24012-01 Sample ID: Blue Can Matrix: Water

Sampled by: Client

Sampled: 08/20/15 00:00

Sample Note:

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Dimethoate.....	ND		ppb	0.20	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
Diphenamid.....	ND		ppb	0.10	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
Disulfoton.....	ND		ppb	0.10	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
EPTC.....	ND		ppb	0.10	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
Metolachlor.....	ND		ppb	0.10	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
Metribuzin.....	ND		ppb	0.10	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
Molinate.....	ND		ppb	0.10	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
Prometon.....	ND		ppb	0.10	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
Prometryn.....	ND		ppb	0.10	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
Simazine.....	ND		ppb	0.10	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
Terbacil.....	ND		ppb	2.0	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
Thiobencarb.....	ND		ppb	0.10	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
Trithion.....	ND		ppb	0.10	1	EPA 525.2	08/25/15 08:32	08/26/15 22:08	mxw	W5H1305
3-Hydroxycarbofuran.....	ND		ppb	2.0	1	EPA 531.1	09/10/15 16:50	09/11/15 15:56	ajp	W5I0563
Aldicarb.....	ND		ppb	2.0	1	EPA 531.1	09/10/15 16:50	09/11/15 15:56	ajp	W5I0563
Aldicarb sulfone.....	ND		ppb	2.0	1	EPA 531.1	09/10/15 16:50	09/11/15 15:56	ajp	W5I0563
Aldicarb sulfoxide.....	ND		ppb	2.0	1	EPA 531.1	09/10/15 16:50	09/11/15 15:56	ajp	W5I0563
Carbaryl.....	ND		ppb	2.0	1	EPA 531.1	09/10/15 16:50	09/11/15 15:56	ajp	W5I0563
Carbofuran.....	ND		ppb	2.0	1	EPA 531.1	09/10/15 16:50	09/11/15 15:56	ajp	W5I0563
Methiocarb.....	ND		ppb	2.0	1	EPA 531.1	09/10/15 16:50	09/11/15 15:56	ajp	W5I0563
Methomyl.....	ND		ppb	2.0	1	EPA 531.1	09/10/15 16:50	09/11/15 15:56	ajp	W5I0563
Oxamyl.....	ND		ppb	2.0	1	EPA 531.1	09/10/15 16:50	09/11/15 15:56	ajp	W5I0563
Propoxur (Baygon).....	ND		ppb	2.0	1	EPA 531.1	09/10/15 16:50	09/11/15 15:56	ajp	W5I0563
Glyphosate.....	ND		ppb	5.0	1	EPA 547	08/26/15 13:41	08/26/15 18:25	ajp	W5H1452
Endothall.....	ND		ppb	45	1	EPA 548.1	08/24/15 09:53	09/05/15 14:14	mxw	W5H1240
Diquat.....	ND		ppb	4.0	1	EPA 549.2	08/25/15 12:21	09/11/15 15:23	ajp	W5H1341
<i>Surrogate: 2,3-Dibromopropionic acid</i>	109 %		%	70-130		Concentration: 10	08/27/15 07:53	09/01/15 03:11		
Dibromoacetic acid (dbaa).....	ND		ppb	1.0	1	EPA 552.2	08/27/15 07:53	09/01/15 03:11	rmr	W5H1473
Dichloroacetic acid (dcaa).....	ND		ppb	1.0	1	EPA 552.2	08/27/15 07:53	09/01/15 03:11	rmr	W5H1473
HAA5, Total.....	ND		ppb	1.0	1	EPA 552.2	08/27/15 07:53	09/01/15 03:11	rmr	W5H1473
Monobromoacetic acid (mbaa).....	ND		ppb	1.0	1	EPA 552.2	08/27/15 07:53	09/01/15 03:11	rmr	W5H1473
Monochloroacetic acid (mcaa).....	ND		ppb	2.0	1	EPA 552.2	08/27/15 07:53	09/01/15 03:11	rmr	W5H1473
Trichloroacetic acid (tcaa).....	ND		ppb	1.0	1	EPA 552.2	08/27/15 07:53	09/01/15 03:11	rmr	W5H1473
Chlorine Residual, Free.....	ND *		ppb	50	1	SM 4500CIO2-D	08/24/15 16:33	08/24/15 17:25	lac	W5H1294
Dichloramine.....	130 *		ppb	50	1	SM 4500CIO2-D	08/24/15 16:33	08/24/15 17:25	lac	W5H1294
Monochloramine.....	ND *		ppb	50	1	SM 4500CIO2-D	08/24/15 16:33	08/24/15 17:25	lac	W5H1294
Chlorine Dioxide as ClO2.....	ND *		ppb	50	1	SM 4500CIO2-D	08/24/15 16:33	08/24/15 17:25	lac	W5H1294
Chlorine Residual, Total.....	180 *		ppb	50	1	SM 4500Cl-G	08/24/15 16:33	08/24/15 17:25	lac	W5H1294
Fecal Coliform.....	ND	A-01	MPN/100ml	2.0	1	SM 9221E	08/24/15 12:00	08/26/15 10:30	sst	W5H1439
E. coli.....	Absent	A-01	N/A	1.0	1	SM 9223B	08/24/15 12:00	08/25/15 13:00	sst	W5H1432
Total Coliform.....	Absent	A-01	N/A	1.0	1	SM 9223B	08/24/15 12:00	08/25/15 13:00	sst	W5H1432
Total Coliform.....	ND	A-01	MPN/100ml	2.0	1	SM 9221B	08/24/15 12:00	08/26/15 10:30	sst	W5H1439

Certificate of Analysis

Lab Sample ID: 5H24012-01 Sample ID: Blue Can Matrix: Water

Sampled by: Client

Sampled: 08/20/15 00:00


Sample Note:

Analyte	Result	Qualifier	Units	RL	Dil	Method	Prepared	Analyzed	Analyst	Batch
Color.....	ND		Color Units	3.0	1	SM 2120B	08/25/15 11:23	08/25/15 12:16	nra	W5H1332
Cyanide, Total.....	ND		ppb	5.0	1	EPA 335.4	08/25/15 13:58	08/25/15 18:40	mbc	W5H1349
2,3,7,8-TCDD (Dioxin).....	ND		ppb	0.00000500	1	EPA 1613B	08/27/15 08:22	09/10/15 19:58	EFC	W5H1479
2-Methylisoborneol (MIB).....	ND	O-04	ppb	0.0010	1	SM 6040D	08/26/15 15:46	08/26/15 14:20	etn	W5H1051
Geosmin.....	ND	O-04	ppb	0.0010	1	SM 6040D	08/26/15 15:46	08/26/15 14:20	etn	W5H1051
Gross Alpha.....	0.86		pCi/L		1	EPA 900.0	08/28/15 11:14	08/28/15 18:29	sap	W5H1571
Counting Error (+/-): 0.264	MDA: 0.339									
Gross Beta.....	1.2		pCi/L		1	EPA 900.0	08/28/15 11:14	08/28/15 18:29	sap	W5H1571
Counting Error (+/-): 0.543	MDA: 0.867									
Hardness as CaCO3, Total.....	3.38		mg/l	0.662	1	SM 2340B	08/27/15 10:42	08/27/15 15:29	jck	[CALC]
Mercury, Total.....	ND		ppb	0.050	1	EPA 245.1	08/26/15 08:15	08/27/15 15:30	apa	W5H1393
Nitrate as N.....	240	A-01a	ppb	100	1	EPA 353.2	08/25/15 13:52	08/25/15 15:36	AJW	W5H1347
NO2+NO3 as N.....	250	A-01a	ppb	100	1	EPA 353.2	08/25/15 13:52	08/25/15 15:36	AJW	W5H1347
Nitrite as N.....	ND	A-01a	ppb	100	1	EPA 353.2	08/25/15 13:52	08/25/15 18:47	AJW	W5H1347
Threshold Odor Number.....	1.0		T.O.N.	1.0	1	EPA 140.1	08/24/15 15:19	08/24/15 17:07	nra	W5H1281
Phenolics.....	ND		ppb	10	1	EPA 420.4	08/27/15 08:31	08/31/15 09:50	AJW	W5H1482
Radium 226.....	0.0290	S_FGL	pCi/L		1	EPA 903.1	09/05/15	09/08/15	_sub	W510531
Counting Error (+/-): 0.125	MDA: 0.363									
Radium 228.....	0.00	S_FGL	pCi/L		1	EPA Ra-05	09/04/15	09/06/15	_sub	W510531
Counting Error (+/-): 0.5	MDA: 0.253									
Heterotrophic Plate Count.....	2.0	A-01, O-07	CFU/ml	1.0	1	SM 9215B	08/24/15 12:00	08/26/15 12:30	sst	W5H1431
Turbidity.....	0.11	O-09	NTU	0.10	1	EPA 180.1	08/24/15 17:36	08/24/15 18:31	lac	W5H1299

Case Narrative:

Authorized Signature

Contact: Valerie Rejuso
(Project Manager)



ELAP # 1132
LACSD # 10143
NELAC #4047-002 ORELAP



The results in this report apply to the samples analyzed in accordance with the chain of custody document. Weck Laboratories certifies that the test results meet all requirements of NELAC unless noted in the Case Narrative. This analytical report must be reproduced in its entirety.

Notes:


The Chain of Custody document is part of the analytical report.
Any remaining sample(s) for testing will be disposed of one month from the final report date unless other arrangements are made in advance.
All results are expressed on wet weight basis unless otherwise specified.

ND = NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
NR = Not Reportable
Sub = Subcontracted analysis, original report enclosed.

An Absence of Total Coliform meets the drinking water standards as established by the State of California Department of Health Services .
The Reporting Limit (RL) is referenced as laboratory's Practical Quantitation Limit (PQL).
For Potable water analysis, the Reporting Limit (RL) is referenced as Detection Limit for reporting purposes (DLRs) defined by EPA.

If sample collected by Weck Laboratories, sampled in accordance to lab SOP MIS002

Lab#: 5H24012-01



Certificate of Analysis

Flags for Data Qualifiers:

- * = The recommended holding time for this analysis is only 15 minutes. The sample was analyzed as soon as it was possible but it was received and analyzed past holding time.
- A-01 = Sample time begins when can is opened; can was cleaned and then opened on 8/24/2015 at 11.15 AM.
- A-01a = The can was opened on 08/25/15.
- BS-03 = The recovery of this analyte in the BS/LCS was outside the control limits. The sample result was accepted based on another acceptable BS/LCS and/or MS and MSD that meet BS criteria.
- MS-05 = The spike recovery and/or RPD were outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.
- O-04 = This analysis was performed outside the EPA recommended holding time.
- O-07 = Sample date and/or time not provided by client. Therefore, default date and/or time has been entered. The analysis may be outside of recommended holding time.
- O-09 = This sample was received with the EPA recommended holding time expired.
- Q-08 = High bias in the QC sample does not affect sample result since analyte was not detected or below the reporting limit.
- QC-2 = This QC sample was reanalyzed to complement samples that require re-analysis on different date. See analysis date.
- Q-R-01 = Analyses are not controlled on RPD values from sample concentrations less than the reporting limit. QC batch accepted based on LCS and/or LCSD QC results.
- S_FGL = Analysis subcontracted to FGL Laboratories, ELAP Certificate 1573